

nidoworld.com

PACK • LIFT • MOVE • CLEAN • AUTOMATE

2022-23

#makingthingshappen



NIDO AUTOMATION

**Intralogistics, Supply Chain & Material
Handling Automation Solutions**

Belt Conveyors
Roller Conveyors
Spiral Conveyors
Vertical Lifters
Expandable Flexible Conveyors
Telescopic Conveyors
Static DWS Systems
In Motion DWS Systems
Sortation Automation
Pick / Put to Light Systems

nidoautomation.com

NIDO MACHINERIES

**Comprehensive Industrial Equipment &
Solutions Provider**

Pallet Trucks	Scissor Lifts
Table Trucks	Strapping Machines
Stackers	Carton Sealers
Forklifts	Stretch Wrapping Machines
Reach Trucks	Packing Line Automation
Docking Equipment	Single Disc Scrubbers
Goods Lifts	Vacuum Cleaners
Drum Handlers	Scrubber Driers
Overhead Lifters	Sweepers
Order Pickers	
Aerial Work Platforms	

nidoworld.com/machineries

NIDObots

Practical, Modular & Integrated Mobile Robots

Material & Pallet Movement
Goods to Person
Assisted Picking
Sorting

nidoworld.com/bots

NIDO **WORKZ**

Custom Designed Software Solutions

ConveyControl	NIDO AI
DWSControl	NIDO NAV
SortControl	NIDO FLEET
LightControl	TicketControl
SortApp	AssetControl

nidoautomation.com/software

NIDO **PAYGO**


Automation As A Service

Dimensioning As A Service	Order Fulfillment As A Service
Sorting As A Service	Material Flow As A Service
Robots As A Service	nidoautomation.com/aaas

nidoworld.com

CONTENTS

- 01 ABOUT US
- 02 OUR PROJECTS IN ACTION
- 05 MATERIAL HANDLING
 - Pallet Trucks
 - Stackers
 - Forklifts And Reach Trucks
 - Docking Equipment
 - Goods Lifts
 - Table Trucks
 - Drum Handlers
 - Overhead Lifters
 - Conveyors
 - Auxiliary Equipment
- 20 AERIAL WORK PLATFORM
 - Aluminium Work Platforms
 - Order Pickers
 - Scissor Lifts
- 22 END OF LINE PACKING
 - Strapping Machines
 - Carton Erectors & Sealers
 - Stretch Wrapping Machines
 - Packing Line Automation
- 26 INDUSTRIAL CLEANING
 - Single Disc Scrubbers & Vacuum Cleaners
 - Scrubber Driers
 - Sweepers



FOCUSED INDUSTRIES

E-Commerce
Courier / Express / Parcel
3PL & Logistics
Chemicals
Pharmaceuticals
Construction
Heavy Industries
Food & Beverages
Electrical
Retail
FMCG
Automotive



2010

Year of
Establishment

40,000

Sq. ft.
Manufacturing Unit

2,000+

Unique Customers
PAN India

250+

Employees

10,000+

Installations

10+

Countries

ABOUT US



We provide a wide range of **latest equipment, technologies & solutions** from across the world to aid companies to make and serve better in India.



We make industrial equipment space more customer / solution centric and less product centric to provide a **pleasant customer experience**.



We focus on our **core strength** of application study, solution recommendation, sales, installation & commissioning, after sales support & spares.



We work closely with **handpicked global partners** who are experts in their product categories to manufacture for us. This gives us scalability & flexibility to provide a variety of innovative solutions in a short time frame.

WHY WORK WITH US?

Comprehensive Product & Service Portfolio

Customised Solutions

High Quality Equipment

Customer Centric Approach

Ready Spares Availability

Strong International Partnerships


Prompt After Sales, Service & Support


Streamlined Processes


Large Stocking Capacity

Technical Expertise

OUR PROJECTS IN ACTION









MATERIAL HANDLING

PALLET TRUCKS



2500 KGS HYDRAULIC PALLET TRUCK

ND-2500 SERIES

Capacity: 2500 kg

Wheels: PU/Nylon/CI

Fork Size: 550 x 1150 mm / 685 x 1220 mm



3000 KGS HYDRAULIC PALLET TRUCK

ND-3000 SERIES

Capacity: 3000 kg

Wheels: PU/Nylon/CI

Fork Size: 550 x 1150 mm / 685 x 1220 mm



5000 KGS HYDRAULIC PALLET TRUCK

ND-5000 SERIES

Capacity: 5000 kg

Wheels: PU/Nylon/CI

Fork Size: 550 x 1150 mm / 685 x 1220 mm



4 WAY HYDRAULIC PALLET TRUCK

ND-AC-TWO SERIES

Capacity: 1500-2000 kg

Wheels: PU/Nylon/CI

Fork Size: 550 x 1150 mm / 685 x 1220 mm

Four directional movement



LOW PROFILE HYDRAULIC PALLET TRUCK

ND-LOW SERIES

Capacity: 1000-1500 kg

Min. fork height: 51/65 mm

Fork Size: 540 x 1150 mm / 685 x 1220 mm



STAINLESS STEEL PALLET TRUCK

ND-SS SERIES

Capacity: 2000kg

Fork Size: 550 x 1150 mm / 685 x 1220 mm

Full stainless steel including all parts

PALLET TRUCKS

WEIGHING SCALE PALLET TRUCK

ND-WS SERIES

Capacity: 2000 kg

Wheels: Nylon/PU

Fork Size: 540 x 1150 mm / 685 x 1220 mm

Accuracy: Higher of +/- 0.5% or 500 gms

Battery: 6V/ 4Ah

Printer option available



REEL PALLET TRUCK

ND-REEL SERIES

Capacity: Max. 3000 kg

Reel diameter: 600-1200 mm

Wheel: Nylon/PU/CI

Customization option available



SCISSOR PALLET TRUCK

ND-SLP SERIES

Capacity: 1000 & 1500 kg

Fork Size: 540 x 1150 mm / 685 x 1150 mm

Lifting Height: 800 mm

Battery operated lift optional



SEMI ELECTRIC PALLET TRUCK

ND-EP-PPT SERIES

Capacity: 1800 kg

48V/10Ah (Li Ion) Battery

Fork Size: 550 x 1150 mm / 685 x 1220 mm



ELECTRIC PALLET TRUCK

ND-EP-EPT SERIES

Capacity: 1500 kg

48V/10Ah (Li Ion) Battery

Fork Size: 550 x 1150 mm / 685 x 1220 mm



HEAVY DUTY BATTERY PALLET TRUCK

ND-EP-RPT SERIES

Capacity: 2500 kg

24V/210Ah Battery

Fork Size: 550 x 1150 mm / 685 x 1220 mm

With stand on platform

EPS Optional,

Upto 5 ton capacity optional

STACKERS



ERGONOMIC STACKER

ND-ERGO SERIES

Capacity: 150 kg

Lifting height: 1500 mm

DC Powered Lifting

MANUAL STACKER

Capacity: 1000-2000 kg

Lifting height: 1600-3000 mm

Adjustable forks

Straddle leg optional

SEMI ELECTRIC STACKER

ND-SES SERIES

Capacity: 1000-2000 kg

Lifting height: 1600-3500 mm

Adjustable forks

Straddle leg optional

ECONOMY POWER STACKER

ND-ES-EPW SERIES

Capacity: 1000-1500 kg

Lifting height: 1600-3300 mm

Fully electric

Fork size: 560/680 mm

Straddle leg optional



PLATFORM STACKER

ND-PS SERIES / ND-EPS SERIES

Capacity: 400 kg

Lifting Height: 1500 mm

Manual Lifting / DC Powered Lifting



STACKERS

HEAVY DUTY POWER STACKER

ND-ES SERIES

Capacity: 1000-2000 kg
Lifting height: 600-6300 mm
Fixed forks
AC vertical drive motor
EPS & straddle legs optional



REACH STACKER

ND-RS SERIES

Capacity: 1000-2000 kg
Lifting height: 1600-6000 mm
Adjustable forks
AC vertical drive motor
EPS optional



FORKLIFTS AND REACH TRUCKS

ELECTRIC FORKLIFT

ND-EF SERIES

Capacity: 1000-5000 kg
Lifting height: 2500-6000 mm
Full AC optional



REACH TRUCK

ND-RT SERIES

Capacity: 1200-2000 kg
Lifting height: 2700-10500 mm
Full AC optional



DOCKING EQUIPMENT



HYDRAULIC DOCK LEVELER

ND-DL SERIES

Capacity: 6000-12000 kg

EDGE DOCK LEVELER

ND-EDL SERIES

Capacity: 3000-6000 kg



PORTABLE DOCK LEVELER

ND-MDL SERIES

Capacity: 2500 kg

SAFETY FEATURES

- Hose burst valve provided for sudden hose rupture
- Overload relay is provided
- Cut-off limit switches are provided
- Emergency push button provided

ELECTRICAL

- Electric Motor – Siemens
- Contactor/Over Load Relays – Siemens
- MCB/MPCB/Indicators – Siemens
- Push Buttons/Limit Switches – Teknik
- Cables - Polycab

HYDRAULIC

- Pump – Dowty
- Solenoid Valve, Manifold Block -Hydac
- Suction Strainer/Return Line Filter – Hydrolite
- Bell Housing/Coupling - Hyzen
- Pressure Gauge/Oil Level Indicator – Wika
- Hydraulic Hoses – Sony

MECHANICAL

- Constructed in good quality robust steel
- MS checkered Platform
- Mechanical stoppers with rest pad provided
- Side railing – Optional as per site



STATIONERY SCISSOR LIFT

ND-SL SERIES

Capacity: 1000 -5000 kg




MOBILE RAMP

ND-MRAMP SERIES

Capacity: 6000-10,000 kg

Lifting Option: manual/hydraulic/both



ALUMINIUM DOCK PLATE

ND-ADP SERIES

Capacity: 1300-2500 kg

Thickness: 6-10 mm




VERTICAL RECIPROCATING CONVEYOR

ND-VRC SERIES

Capacity: 500-3000 kg

Lifting Height: Max. 12000 mm

Options available: with & without conveyor, auto shutter, unmanned application



SINGLE / DUAL MAST HYDRAULIC GOODS LIFT

Wall Supported / Free Standing Structure
ND-GL-SM / DM



HOIST GOODS LIFT

Free Standing Structure
ND-GL-Hoist



PLATFORM HAND TRUCK

ND-PHT SERIES

Capacity: 150/250/350/700/1200/1800 kg
Can be customized



SCISSOR LIFT TABLE TRUCK

ND-SLTT SERIES

Capacity: 150-1500 kg
Lifting height: 720-1500 mm
Manual lifting & movement
Can be customized



SEMI ELECTRIC SCISSOR LIFT TABLE TRUCK

ND-ESLTT SERIES

Capacity: 300-750 kg
Lifting height: 880-1300 mm
Hydraulic unit for lifting, movement manual



TABLE TRUCKS



ELECTRIC WALKIE TUGGER

ND-TE SERIES

Towing Capacity: 1000 kg
Travel Speed: 4.5 km/h
Battery: 24 V/Ah

MATERIAL HANDLING

DRUM HANDLERS

SINGLE DRUM PARROT BEAK FORK ATTACHMENT

ND-D-FA-PB-1

Capacity: 360 kg

Can be used for metal & plastic drums



DOUBLE DRUM PARROT BEAK FORK ATTACHMENT

ND-D-FA-PB-2

Capacity: 360x2 kg

Can be used for metal & plastic drums



4 DRUM PARROT BEAK FORK ATTACHMENT

ND-D-FA-PB-4

Capacity: 360x4 kg

Can be used for metal drums



MANUAL DRUM TILTER FORK ATTACHMENT

ND-D-FA-WA

Capacity: 400 kg

Can be used for metal & plastic drums



SINGLE DRUM GRAB FORK ATTACHMENT

ND-D-FA-DG40

Capacity: 340 kg

Can be used for metal drums only




DOUBLE DRUM GRAB FORK ATTACHMENT

ND-D-FA-DG45

Capacity: 680 kg

Can be used for metal drums only



DRUM LIFTER CRANE ATTACHMENT

ND-D-CA-DL500D

Capacity: 500 kg

Can be used for metal drums



3 WHEEL DRUM MOVEMENT TROLLEY

ND-D-DT-DT3

Capacity: 300 kg

Can be used for metal & plastic drums



HYDRAULIC DRUM MOVEMENT TROLLEY

ND-D-DT-DTH

Capacity: 300 kg

Lifting height: 400 mm



DRUM HANDLERS



HYDRAULIC DRUM LIFTER TROLLEY

ND-D-DT-DTH25

Capacity: 300 kg

Lifting height: 200 mm



WRAP AROUND DRUM FILTER TROLLEY

ND-D-DT-HD80

Capacity: 300 kg

Can be used for metal & plastic drums



DRUM PALLETIZER - 4 WHEELS

ND-D-DP-4W

Capacity: 360 kg

Fixed legs



DRUM PALLETIZER - ADJUSTABLE LEGS

ND-D-DP-AL

Capacity: 400 kg

Adjustable legs



PARROT BEAK MANUAL DRUM STACKER WITH WEIGHING

ND-D-HS-PB-1

Capacity: 400 kg

Lifting height: 1600mm

Accuracy: +/- 5%



MANUAL DRUM STACKER FILTER

ND-D-HS-ST

Capacity: 450 kg

Lifting height: 1500 mm



SEMI ELECTRIC DRUM STACKER FILTER

ND-D-SES-ST

Capacity: 520 kg

Lifting height: 1500 mm



POWER DRUM GRABBER STACKER FILTER

ND-D-ES-GST

Capacity: 600 kg

Lifting height: 2400 mm



NIDO DRUM RACKING STAND

ND-D-DRS

VACUUM LIFTER

SPEED UP THE MANUAL HANDLING
OF GOODS WITH VACUUM.

WHY VACUUM LIFTER?

HIGHER PRODUCTIVITY
WORKFORCE FLEXIBILITY
HEALTHIER EMPLOYEES
TIME-EFFICIENT
CUSTOM MADE

APPLICATIONS

BOXES AND CARTONS

- Rapid, efficient workflow
- Accurate, secure grip and positioning
- Adjustability to suit various box size and shapes
- Maximum speed with minimal effort

SACKS AND BAGS

- Drastic reduction in heavy, repetitive lifting
- Secure grip on every bag for efficient reliable
- Tools for plastic, paper and woven sacks
- Lifting without damaging the sack

SHEETS

- Handling sheets of wood, glass, aluminum and laminate
- Secure grip for efficient, reliable lifting
- Big range of movement for highest accuracy and flexibility
- Tilt or turn sheets up to 360°

DRUMS, KEGS AND CANNISTERS

- Grip from the top or from the side
- Easy and ergonomic manual handling
- Tools for tilting or rotating drums
- Grip and lift several drums or pails together

REELS & COILS

- Grip from the top or core
- Available in attachment and complete system
- Carrying capacity ranges from 20-5000 kg
- Optional 90/180/270/360 degree tilting available
- Available for metal, corrugated, PVC & wooden cores
- Can handle metal, glass, wire & wooden coils





VIPERHOIST

SPEEDY AND EFFICIENT

- Up to 0.75 m/s lifting speed
- Variable speed control
- User-friendly joystick handle makes the hoist
- Easy and efficient to work with
- Quick coupling allows quick change of tools
- Lifting capacity 60/120 kg (wire hoist)

COST-EFFICIENT AND SUSTAINABLE

- Low energy consumption
- Low cost of ownership
- Easy to install and requires little maintenance

HEAVY DUTY CHAIN HOIST

- Lifting capacity < 2,500 kg
- IP65, suitable for outdoor use
- Chain safety factor min 8 times (FEM, 2m, ISO, M5)
- Low-wear DC-spring-loaded brake

CRANE SYSTEM

OPTIONS

- Aluminum or steel profiles
- Mounted on ceiling or on floor pillars
- Suspended directly on ceiling or in roof beams
- Move lifters by manual power or remote control
- Portable jib cranes for greater flexibility
- Overbraced or underbraced depending on what suits your facilities
- Single and double girder cranes
- Low built system for low headroom areas
- Stainless steel systems for easy cleaning
- Jib cranes mounted on wall or pillar
- Portable options available
- Up to 1500 kg lifting capacity
- Up to 8000 mm between suspension points
- provides great range of motion when lifting
- with vacuum lifters or hoists



ARTICULATED
JIB CRANE



FLOOR MOUNTED
CRANE




CEILING MOUNTED
CRANE



LOW BUILT
JIB CRANE

MATERIAL HANDLING

CONVEYORS



BELT CONVEYOR



ROLLER CONVEYOR



FLEXIBLE CONVEYOR



TELESCOPIC BELT CONVEYOR



**GRAVITY
SPIRAL CONVEYOR**



**MOTORIZED
SPIRAL CONVEYOR**



**VERTICAL
LIFTING CONVEYOR**



PALLET CONVEYOR



CANOPUS BELT CONVEYORS

- Straight Belt Conveyor
- Inclined / Declined Belt Conveyor
- Z Type Belt Conveyor
- Spacing Conveyor
- Flat Curve Conveyor
- Inclined Curve Conveyor
- Weighing Conveyor
- Singulator
- Stripped Induction Conveyor
- Stripped Merging Conveyor

CANOPUS FLEXIBLE CONVEYORS

- Flexible Motorized Roller Conveyor
- Flexible Gravity Roller Conveyor
- Flexible Gravity Skate Wheel Conveyor

CANOPUS ROLLER CONVEYORS

- Gravity Roller Conveyor
- Motorized Roller Conveyor
- Live Roller Conveyor
- Curve Tapered Roller Conveyor
- Zero Pressure Accumulation Conveyor
- Merge / Divert Roller Conveyor
- Centering Conveyor
- Pallet Roller Conveyor
- Pallet Turn Table Conveyor
- Pallet Transfer Unit
- Pallet Stacking & Dispensing
- Stripped Merging Conveyor

CANOPUS SPIRAL CONVEYORS & VERTICAL LIFTERS

- Gravity Spiral Conveyor
- Motorized Spiral Conveyor
- Semi Automatic VRC
- Fully Automatic VRC
- Continuous VRC
- Vertical Tote Lifter
- Continuous Unit Lifter
- Gravity Chutes

REGULUS TELESCOPIC CONVEYORS

- Fixed Telescopic Belt Conveyor
- Mobile Telescopic Belt Conveyor
- Dockless Telescopic Belt Conveyor


AUXILIARY EQUIPMENT

PLATFORM WEIGHING SCALE

ND-WS SERIES

Capacity: 50-1000 kg

Customizable platform size



FORK EXTENSION ATTACHMENT

ND-FA-EY SERIES

Extension length: 1219 x 2590 mm



ORDER PICKING TROLLEY

ND-OPT SERIES

Capacity: 50-70 kg per compartment

Can be customized



HEAVY DUTY SKATES

ND-SK SERIES

Capacity: Upto 32000 kg



HOOK FORK ATTACHMENT

ND-FA-HK SERIES

Capacity: 400 kg

Adjustable legs

CAGE FORK ATTACHMENT

ND-FA-AWP SERIES

Capacity: 300 kg

Foldable type



BATTERY CHANGING TROLLEY

ND-BCT SERIES

Capacity: 500-1000 kg



HYDRAULIC JACK

ND-JK SERIES

Capacity: 5000-25000 kg





AERIAL WORK PLATFORM

ALUMINIUM WORK PLATFORM

ORDER PICKER



SINGLE MAST MOBILE ALUMINIUM WORK PLATFORM

ND-AWP-M (I) SERIES

Max. platform height: 6-10 m

Max. capacity: 130 kg

DUAL MAST MOBILE ALUMINIUM WORK PLATFORM

ND-AWP-M (II) SERIES

Max. platform height: 10-12 m

Max. capacity: 200 kg



MOBILE ORDER PICKER

ND-OP-M SERIES

Capacity: 200 kg

Max. working height: 6500 mm

Movement manual, lifting battery operated

ORDER PICKER

SCISSOR LIFT




SELF PROPELLED ORDER PICKER

ND-OP-SP SERIES

Capacity: 300 kg

Max. working height: 6500 mm

Movement & lifting battery
operated



MOBILE SCISSOR LIFT

ND-SL-M SERIES

Max. platform height: 4-14 m

Max. capacity: 1000 kg



SELF PROPELLED SCISSOR LIFT

ND-SL-SP SERIES

Max. platform height: 4-12 m

Max. capacity: 450 kg



END OF LINE PACKING

STRAPPING MACHINES



BATTERY OPERATED STRAPPING TOOL

ND-EOLP-ST-ZP93A

Suitable for Strapping Pallets / Boxes

Strap: PP / PET

Patented Brushless Motor

Rechargeable Li - Ion Battery



SEMI AUTOMATIC BOX STRAPPING

ND-EOLP-ST-KH90

Manual Intervention: Required

Strap: PP

AUTOMATIC BOX STRAPPING - STAND ALONE

ND-EOLP-ST-APA011

Manual Intervention: Required

Strap: PP



SEMI AUTOMATIC PALLET STRAPPING

ND-EOLP-ST-YS-ST150

Manual Intervention: Required

Strap: PP / PET



BANDING MACHINE

ND-EOLP-BAND-AG02

Suitable for banding bunch of Paper

Band Material: Paper / OPP

BAND SEALER

ND-EOLP-BS SERIES

Suitable for sealing Plastic Pouches

SS / MS powder coated body

Paper Banding Machine



SEMI AUTOMATIC CARTON SEALER

ND-EOLP-CS-H6050

Manual Size adjustment
Compressed Air: **Not required**



CARTON ERECTORS & SEALERS

AUTOMATIC PNEUMATIC CARTON SEALER

ND-CS-H5050Q

Pneumatic Size adjustment
Compressed Air: **Required**



SEMI AUTOMATIC FLAP FOLDING CARTON SEALER

ND-EOLP-CS-FJ-3AW

Manual Size adjustment
Compressed Air: **Required**



AUTOMATIC FLAP FOLDING CARTON SEALER

ND-EOLP-CS-FJ-3B

Automatic size adjustment
Compressed Air: **Required**



CARTON EDGE SEALER (H TYPE CARTON SEALER)

ND-EOLP-CS-JFX-5060

Manual Size adjustment
Compressed Air: **Required**
To be attached with Standard Carton Sealer



FULLY AUTOMATIC CASE ERECTOR

ND-EOLP-CS-CF-20TX

Manual Size adjustment
Compressed Air: **Required**
Suitable for: **5 ply / 7 ply boxes only**
Taping / Gluing / Stapling options available

STRETCH WRAPPING MACHINES

AUTOMATIC PALLET STRETCH WRAPPING MACHINE - POWER PRE STRETCH

ND-EOLP-SH-APM005F

Max. Turntable Dia: **2000 mm**
Max. Pallet Weight: **2000 Kg**
Floor Mounting with Ramp / PIT mounted / W cut out options available



CARTON STRETCH WRAPPING MACHINE - WITH TOP PRESS

ND-EOLP-SH-APM800B

Max. Box Size (mm): **600 x 600 x 600**
Max. Box Weight: **80 Kg**
Film Stretching for max yield

CARTON STRETCH WRAPPING MACHINE - WITH POWER PRE STRETCH

ND-EOLP-SH-S72N-PS

Max. Box Size (mm): **600 x 600 x 600**
Max. Box Weight: **80 Kg**
Film Stretching for max yield



PALLET STRETCH WRAPPING MACHINE - POWER PRE STRETCH

ND-EOLP-SH-APM005B

Max. Turntable Dia: **2200 mm**
Max. Pallet Weight: **2000 Kg**
Floor Mounting with Ramp / PIT mounted / W cut out options available



REEL STRETCH WRAPPING MACHINE - MECHANICAL STRETCH

ND-EOLP-SH-APM2100

Capacity: **500 to 2000 Kg**
Roll Dia: **500 to 1500 mm**
Max. Roll Length: **2000 mm**



HORIZONTAL STRETCH WRAPPING MACHINE

ND-EOLP-SH-ORB


Suitable for lesser cross section size & more length,
Automatic / Semi Automatic Options available

END OF LINE PACKING

PACKING LINE AUTOMATION

Integrated packing lines for sealing, strapping, stretch wrapping, weighing, conveying palletized and carton based loads as per your requirement.

Our expertise in Packing Machines, Conveyors, Solution Design and Electrical Controls makes us one of the premier Packing Line integrators in the country.





INDUSTRIAL CLEANING

SINGLE DISC SCRUBBER AND VACUUM CLEANERS

SINGLE DISC SCRUBBER

ND-ICE-SD-SC005F

Single Phase: 230v Ac
Working Width: 430mm
Speed: 154 Rpm
Power: 1100 W



COMMERCIAL VACUUM CLEANER

ND-ICE-WD-AS30

Tank Capacity: 30 Ltr
Power: 1000 W & Single Motor
Air Flow Rate: 53 L/s
Vacuum Suction: 230 Mbar
Single Phase: 230v Ac



COMMERCIAL VACUUM CLEANER

ND-ICE-WD-AS60-2

Tank Capacity: 60 Ltr
Power: 2000 W & Double Motor
Air Flow Rate: 106 L/s
Vacuum Suction: 250 Mbar
Single Phase: 230v Ac



INDUSTRIAL 3 PHASE VACUUM CLEANER

ND-ICE-WD-Z-AC

Tank Capacity: 100 Ltr
Power: 3 Kw
3 Phase: 380v Ac
Air Flow Rate: 380 Sqm/h
Vacuum Suction: 300 Mbar
Battery Option Available



WALK BEHIND SCRUBBER DRIER COMPACT

ND-ICE-SD17C AC

Squeegee width: 500 mm
Brush diameter: 380 mm
Solution/recovery tank: 20/21 ltr



WALK BEHIND SCRUBBER DRIER

ND-ICE-SD17 AC

Single phase 230v ac operated
Brush diameter: 430mm
Squeegee: 700mm
Solution/recovery tank: 40/45 ltr
Cleaning efficiency: 1500 sqm/h



WALK BEHIND SCRUBBER DRIER

ND-ICE-SD20 AC/DC

Single phase 230v ac operated
Brush diameter: 510mm
Squeegee: 800mm
Solution/recovery tank: 55/60 ltr
Cleaning efficiency: 1800 sqm/h



RIDE ON SCRUBBER DRIER

ND-ICE-SDR-D9

Brush diameter: 850(2*510) mm
Squeegee: 1160mm
Solution/recovery tank capacity: 150/180 ltr
Cleaning efficiency: 4000-5200 sqm/h



RIDE ON SCRUBBER DRIER

ND-ICE-SDR-D7

Brush diameter: 510mm
Squeegee: 830mm
Solution/recovery tank capacity: 70/75 ltr
Cleaning efficiency: 3000 sqm/h
Battery back up: 3 hrs



SWEEPERS



BATTERY WALK BEHIND SWEEPER

ND-ICE-MS-P100A

Sweeping Width : 1000 mm

Cleaning Performance : 4000 Sqm/h

Main/side Brush: 400/400 mm

Dust Hopper Capacity : 22 Ltr

Battery Back Up: > 3 Hrs



RIDE ON SWEEPER - BATTERY

ND-ICE-RS-E800W

Cleaning Efficiency: 10,000 Sqm/hr

Battery Back Up: 6-7 Hrs

Sweeping Width: 1850mm And 1 Main & 4 Side Brush

Dust Hopper/water Tank Capacity: 150/30 Ltr



MANUAL WALK BEHIND SWEEPER

ND-ICE-MS-920S

Dust Hopper Capacity: 40 Ltr

Sweeping Width: 920 mm

Cleaning Performance : 3680 Sqm/hr

1 Main Brush & 2 Side Brush



RIDE ON SWEEPER - BATTERY

ND-ICE-RS-C200

Cleaning Efficiency : 7,000 Sqm/hr

Battery Back Up: 4-5 Hrs

Sweeping Width: 1300mm And 1 Main & 2 Side Brush

Dust Hopper Capacity: 130 Ltr

SWEEPERS

RIDE ON SWEEPER - BATTERY

ND-ICE-RS-E800FB

Cleaning Efficiency: 12,000 Sqm/hr

Battery Back Up: >7 Hrs

Sweeping Width: 1900mm And 1 Main & 4 Side Brush

Dust Hopper: 180 Ltr

Water Tank Capacity: 100 Ltr



RIDE ON SWEEPER - DIESEL

SWEEPMASTER

Cleaning Efficiency: 1,84,000 sq. ft. / hr

Sweeping Width: 1523 mm

Dust Hopper: 450 kg

Filter based dust control



SWEEPER COLLECTOR TRACTOR ATTACHMENT

ND-ICE-A-MS230

Hydraulic Pressure: 160 Bar

Main Brush Dia/length: 600/2000 Mm & Polypropylene Special Nylon

Side Brush: 550mm Dia & Make PP & Steel Wire Mixed

Water Tank: 150 Ltr

Dust Hopper: 200 Ltr



OUR CUSTOMERS



NIDO Machineries Pvt. Ltd.
Corporate Office: Unit 311,
Wadala Udyog Bhavan,
Naigaon Cross Rd Wadala,
Mumbai 400031, India

Parts & Service Centre:
Gala No. 4 & 5, E 15,
Harihar Complex,
Mankoli Naka, Dapoda,
Bhiwandi,
Thane 421 302, India.

**Manufacturing Unit
& Experience Centre:**
Gat No. 216 to 222, Gonde,
Wadivarhe, NH-3, Igatpuri,
Maharashtra 422403, Indi

M: +91 81081 15886
E: sales@nidoworld.com
CIN: U29253MH2009PTC198182
GST: 27AADCN1555B1ZU
nidoworld.com